ATTACHMENT IX
Exhibit 340

340-486. Gori, Gio Batta. Passive Smoking. Lancet, Vol.341, April 10, 1993. II-227

340-487. Gorsline, J., Gupta, S., Dye, D. Rolf, C. Steady-state pharmacokinetics and dose relationship of nicotine delivered from nicoderm (nicotine transdermal system). J. Clin. Pharmacol. 1993;33:161-168.

340-488. Gorbach, S., Schaefer, E., Woods, M., Longcope, C. et al. Plasma lipoprotein cholesterol and endogenous sex hormones in healthy young women. Metabolism 1989 Nov; 38(11):1077-81.

340-489. Goren, A., Kellman, S. Passive smoking among schoolchildren in Israel. Environ Health Perspect 1991 Dec; 94:203-11.

340-490. Gori, G., Mantel, M. Mainstream and environmental tobacco smoke. Regul Toxicol Pharmacol 1991 Aug; 14(1):82-105.

340-491. Gori, G., Benowitz, N., and Lynch, C. 1986. Mouth versus deep airways absorption of nicotine in cigarette smokers. Pharmacol. Biochem. Behav. 25(6):1181-1184.

340-492. Gorrod J.W. and P. Jenner. The Metabolism of Tobacco Alkaloids. Essays Toxicol. 6:35-78, 1975.

340-493. Gorsline, Jane, S. Gupta, D. Dye, and C. Rolf. Steady-State Pharmacokinetics and Dose Relationship of Nicotine Delivered from Nicoderm [Nicotine Transdermal System]. J. Clin Pharmacol 1993;33:161-168.

340-494. Goyer, M. and V. Nguyen. Quality of air and ventilation in three office buildings.

340-495. Grab, D., Lucke, R., Bang, R., and Wenderlein, M. 1988. [The significance of passive smoking in pregnancy]. Z. Geburtshilfe Perinatol. 192(3):126-129. (In German with and English Abstract).

340-496. Grabowski, John and C. Bell. Measurement in the Analysis and Treatment Smoking Behavior.

340-497. Graham, N. The epidemiology of acute respiratory infections in children and adults: a global perspective. Epidemiology Rev 1990; 12:149-78.

340-498. Graner, J. 1988. Against a total ban on smoking in our hospitals. Pharos 51(3):14-15.

2046395645

Source: https://www.industrydocuments.ucsf.edu/docs/ztwl0000

ATTACHMENT IX
Exhibit 340

340-499. Gray, A., and Kendig, E., Jr. 1985. Smoking in Virginia's hospitals. Va. Med. 115(11):526-527, 530.

340-500. Green, C., Ingebrethsen, B., and Heavner, D. 1985. Measurement of nicotine in building air as an indicator of tobacco smoke levels. [Letter]. Environ. Health Perspect. 63:249.

340-501. Green, Charles, B. Ingebrethsen, and D. Heavner. Letters to the Editor. Environ. Hlth Perspective, Vol.63, p.249, 1985.

340-502. Green, F., Humphries, S. Control of plasma fibrinogen levels. Baillieres Clin Haematol 1989 Oct; 2(4):945-59.

340-503. Green, T. 1990. Species Differences in Carcinogenicity: The role of metabolism in human risk evaluation. Toxat. Carcin., Mutagenesis 10:103-113.

340-504. Greenberg, R., Bauman, K., Glover, L, Strecher, V., Kleinbaum, D., Haley, N., Boat, B., Fowler, M., and Loda, F. 1988. The ecology of infant passive smoking. Am. J. Epidemiol. 128(4):899-900.

340-505. Greenberg, R., Etzel, R., and Haley, N. 1984a. Exposure of the fetus, neonate, and nursed infant to nicotine and cotinine from maternal smoking. [Letter]. New England J. Med. 311:672.

340-506. Greenberg, R., Haley, N., Etzel, R., and Loda, F. 1984b. Measuring the exposure of infants to tobacco smoke: Nicotine and cotinine in urine and saliva. New England J. Med. 310:1075-1078.

340-507. Greer, Jonathan, D. Abbey, and R. Burchette. Asthma Related to Occupational and Ambient Air Pollutants in Nonsmokers. JOM, Vol.35, No.9, Sept. 1993.

340-508. Gregg, Michael. Interaction of public policy advocacy and research in the passage of New Zealand's Smok-free Environments Act 1990. Addic. (1993) 88 (Supplement), 35S-41S.

340-509. Grimmer, G. and Naujack, K. 1987. Gas chromatographic determination of polycyclic aromatic hydrocarbons in sidestream smoke and indoor air. IARC Sci. Publ. 81:249-268.

20463956 46

Source: https://www.industrydocuments.ucsf.edu/docs/ztwl0000

ATTACHMENT IX
Exhibit 340

340-510. Grimmer, G., Naujack, K., and Dettbarn, G. 1987. Gaschromatographic determination of polycyclic aromatic hydrocarbons, aza-arenes, aromatic amines in the particle and vapor phase of mainstream and sidestream smoke of cigarettes. Toxicol. Lett. 35(1):117-124. 8-126

340-511. Guerin, M. 1987. Formation and physiochemical nature of sidestream smoke. IARC Sci. Publ. 81:11-23.

340-512. Guerin, M., Higgins, C., and Griest, W. 1987. The analysis of the particulate and vapour phases of tobacco smoke. IARC Sci. Publ. 81:115-139. 8-128

340-513. Guerin, M. 1989. Formation and general characteristics of environmental tobacco smoke. Govt Reports Announcement and Index (GRAAI). Issue 7.

340-514. Guerin, M.R., R. Jenkins, and B. Tomkins. The Chemistry of Environmental tobacco Smoke: Composition and Measurement.

340-515. Gunby, P. 1989. Nonsmokers' rights go international [news]. JAMA 261(2):13.

340-516. Guidotti, Tee Lamont, R. Alexander, and M. Fedoruk. Epidemiologic Features that may Distinguish Between Building-Associated Illness Outbreaks Due to Chemical Exposure or Psychogenic Origin. J. Occup. Med., Vol.29, No.2, Feb. 1987.

340-517. Gupta, M., Khanduja, K., and Sharma, R. 1986. Effect of cigarette smoke inhalation on certain pulmonary and hepatic drug metabolising enzymes in vitamin A deficient rats. Indian J. Med. Res. 84:301-309.

340-518. Gupta, S., Okerholm, R., Coen, P. et al. Single-and multiple-dose pharmacokinetics of nicoderm (nicotine transdermal system). J Clinc Pharmacol 1993;33:169-174.

340-519. Gustavsson, P., Pellegrius, E., Hogstedt, C. Possible causes of increased lung cancer incidence among butchers and slaughterhouse workers. Scand. J. Work Environ Health 1987 Dec; 13(6):515-23.

340-520. Guyatt, G. and Newhouse, M. 1985. Are active and passive smoking harmful? Determining causation. Chest 88(3):445-451.

340-521. Gvozdjakova, A. et al. The Effect of passive smoking and alcohol on cardiomyocytes. 1989 (4)363-369.

2046395647

Source: https://www.industrydocuments.ucsf.edu/docs/ztwl0000

ATTACHMENT IX
Exhibit 340

340-522. Gvozdj:ak, J., Gvozdj:akova:a, A., Kucharsk:a, J., Bada, V. The effect of smoking on myocardial metabolism. Czech Med 1987; 10(1):47-53.

340-523. Gvozdj:akow:a, A., Kucharsk:a, J., Gvozdj:ak, J. Effect of smoking on the oxidative processes of cardiomyocytes. Cardiology 1992; 81(2-3):81-4.

340-524. Gyarfas, I. Lifestyle for preventing cardiovascular disease. J. Cardiovasc Pharmacol 1990; 16 Suppl 8:S1-2.

340-525. Haddow, J., Knight, G., Palomaki, G., and Haddow, P. 1988. Estimating fetal morbidity and mortality resulting from cigarette smoking exposure by measuring cotinine levels in maternal serum. In: Scarpelli, D. and Migaki, G., eds., Progress in Clinical and Biological Research, Vol. 281. Transplacental Effects on Fetal Health; Symposium, Bethesda, MD., November 5-6, 1987. XVI + 359 P. Alan R. Liss, Inc., New York. ISBN 0-8451-5131-2; 0(0):289-300.

340-526. Haddow, James E., G. Knight, G. Palomaki, L. Neveux, and B. Chilmonczyk. Replacing Creatinine Measurements with Specific Gravity Values to Adjust Urine Cotinine Concentrations. Clin. Chem. 40/4, 562-564 (1994) Gen. Clin. Chem.

340-527. Haddow, J., Knight, G., Palomaki, G., and McCarthy, J. 1988. Second-trimester serum cotinine levels in nonsmokers in relations to birth weight. Am. J. Obstet. Gynecol. 159(2):481-484.

340-528. Haddow, James E., G. Palomaki, and G. Knight. Use of serum cotinine to assess the accuracy of self reported non-smoking. Brit. Med. J., Vol. 293, Nov. 1986.

340-529. Haggart, M. and Siblin, M. 1988. Passive smoking and colic-like behaviour in babies. Health Visit 61(3):81-82.

340-530. Haley, Nancy Jean, S. Colosimo, C. Axelrad, R. Harris, and D. Sepkovic. Biochemical Validation of Self-Reported Exposure to Environmental Tobacco Smoke. Environ. Rsch 49, 127-135 (1989).

340-531. Haley, N. and O'Neill, I. 1987. Collection of urine for prospective studies in passive smoking. IARC Sci. Publ. 81:293-297.

2046395648

Source: https://www.industrydocuments.ucsf.edu/docs/ztwl0000

ATTACHMENT IX
Exhibit 340

340-532. Haley, N., Adams, J., Alzofon, J., and Hoffmann, D. 1987. Uptake of sidestream smoke by Syrian golden hamsters. Toxicol. Lett. 35(1):83-88.

340-533. Haley, N., Colosimo, S., Axelrad, C., Harris, R., and Sepkovic, D. 1989. Biochemical validation of self-reported exposure to environmental tobacco smoke. Environ. Res. 49(1):127-135.

340-534. Haley, N., Sepkovic, D., and Hoffmann, D. 1989. Elimination of cotinine from body fluids: Disposition in smokers and nonsmokers. Am. J. Public Health 79(8):1046-1048.

340-535. Hammond, S. and Leaderer, B. 1987. A diffusion monitor to measure exposure to passive smoking. Environ. Sci. Technol. 21:494-497. 349C

340-536. @Hammond, S., Coghlin, J., and Gann, P. 1987. Field study of passive smoking exposure with passive sampler. *Indoor air '87, Proceedings of the 4th International Conference on Indoor Air Quality and Climate, Berlin.* 2:131-136.

340-537. Hammond, S., Leaderer, B., Roche, A., and Schenker, M. 1987. Collection and analysis of nicotine as a marker for environmental tobacco smoke in personal samples. Atmos. Environ. 2:457-461.

340-538. Hammond, S. Katherine, J. Coghlin, P. Gann, et. al. Relationship Between Environmental Tobacco Smoke Exposure and Carcinogen-Hemoglobin Adduct Levels in Nonsmokers. J. Natl Cancer Inst., Vol. 85, No.6, March 1993.

340-539. Hammond, S. Katherine, T. Smith, S. Woskie, B. Leaderer and N. Bettinger. Markers of Exposure to Diesel Exhaust and Cigarette Smoke in Railroad Workers. Am. Ind. Hyg. Assoc. J. 49(10):516-522 (1988).

340-540. Hanauer, P., Barr, G., and Glantz, S. 1986. Legislative approaches to a smoke free society. Appendix. Berkeley, California, American Nonsmokers' Rights Foundation. 873 pp.

340-541. Hansel, M., Rowell, F., Landon, J., and Sidki, A. 1986. Single-reagent polarization fluoroimmunoassay for cotinine (A nicotine metabolite) in urine. Annals Clin. Biochem. 23(Part 5):596-602.

2046395649

Source: https://www.industrydocuments.ucsf.edu/docs/ztwl0000

Source: https://www.industrydocuments.ucsf.edu/docs/ztwl0000

ATTACHMENT IX
Exhibit 340

340-542. Hansen, Claus, I. Asmussen, and H. Autrup. Detectioin of Carcinogen-DNA Adducts in Human Fetal Tissues by the P-Postlabeling Procedure. Environ. Hlth Perspec., Vol. 99, pp.229-231, 1993.

340-543. Hariharan M. and T. VanNoord. Liquid-Chromatographic Determination of Nicotine and Cotinine in Urine from Passive Smokers: Comparison with Gas Chromatography with a Nitrogen-Specific Detector.

340-544. Harley, N. Methodology issues in risk assessment for radon. Environ Health Perspect 1991 Jan; 90:17-20.

340-545. Harley, N., Harley J. Potential lung cancer risk from indoor radon exposure [see comments]. Comment in: CA Cancer J. Clin 1990 Sep-Oct; 40(5):261-4. Source: CA Cancer J. Clin. 1990 Sep-Oct; 40(5):265-75.

340-546. Harley, John N. Quality of Radon Measurements.

340-547. Hart, Prue, G. Farrell, W. Cooksley, and L. Powell. Enhanced drug metabolism in cigarette smokers. British Med. J., July 1976; 2:147-149.

340-548. Hartge, P., Harvey, E., Blinehan, W., Silverman, D., et al. Unexplained excess risk of bladder cancer in men. J. Natl Cancer Inst. 1990 Oct 17; 82(20):1636-40.

340-549. Hartmann, A., Weber, A., and Danuser, B. 1987. [Passive smoking. Acute effects on the lung function of sensitive persons.] Soz. Praventivemed. 32(6):299-302. (In German with English abstract).

340-550. Hasday, J., McCrea, K. Inherited Predisposition to lung cancer. Occup. Me. 1992 Apr-June; 7(2):227-40.

340-551. Hatch, C. Legislative action on tobacco and smoking. JAMA, June 1986-Vol. 255, No.23.

340-552. Hattemer-Frey, H., Travis, C. Benzo-a-pyrene: environmental partitioning and human exposure [see comments] Comment in: Toxicol Ind. Health 1992 May-June; 8(3):213-9.

340-553. Hattemer-Frey, H., Travis, C., Land, M. Benzene: environmental partitioning and human exposure. Environ. Res. 1990 Dec; 53(2):221-32.

2046395650

ATTACHMENT IX
Exhibit 340

340-554. Havas, S., Walker, B., Massachusetts' approach to the prevention of heart disease, cancer, and stroke. Public Health Rep. 1986 Jan-Feb; 101(1):29-39.

340-555. Hays, L. Airborne nicotine concentrations as a measure of the effectiveness of a smoking cessation program. Yale University, 17 Hillhouse Ave., New Haven, CT.

340-556. Hayatsu, H., Hayatsu, T., Sheng, Q., Ohara, Y. et al. Problems in monitoring mutagenicity of human urine. IARC Sci. Publ. 1988; (89):401-4.

340-557. He, X., Chen, W., Liu, Z., Chapman, R. 1991. An epidemiological study of lung cancer in Xuan Wei County, China: Current progress. Case-control study on lung cancer and cooking fuel. Environ. Health Perspect. 94:9-13.

340-558. He, Y., T. Lam, L. Li, R. Du, G. Jia, J. Huang, J. Zheng. Passive smoking at work as a risk factor for coronary heart disease in Chinese women who have never smoked. Bristish Med. J., Feb. 1994, Vol. 308, P. 380-384.

340-559. *He, Y. et al. 1989. Women's passive smoking and coronary heart disease. Chung-Hua Yu Fang I Hsueh Tsa Chih 23:19-22. 8-138

340-560. He, Y. 1989. [Womens' passive smoking and coronary heart disease.] Chung Hua Yu Fang I Hsueh Tsa Chih 23(1):19-22. 8-138 (In Chinese with English Abstract). [NIOSH sent us an English translation].

340-561. Health consequences of smoking (1983). [Report of the Surgeon General. Washington, D.C.]

340-562. Heath, Clark W. Passive Smoking: Environmental tobacco smoke and lung cancer. Lancet. Vol. 341:Feb. 1993.

340-563. Hecht, Stephen S., S. Carmella, S. Murphy, et al. A Tobacco-Specific Lung Carcinogen in the Urine of Men Exposed to cigarette Smoke. Vol. 329, No.21.

340-564. Hecht, Stephen S., S. Carmella, P. Foiles, and S. Murphy. Biomarkers for Human Uptake and Metabolic Activationof Tobacco-specific Nitrosamines. Cancer Res. (Supp) April 1994.

340-565. Helander, A. and Curvall, M. Comparison of Blood Aldehyde Dehydrogenase Activities in Moist Snuff Users, Cigarette Smokers and Nontobacco Users.

2046395651

Source: https://www.industrydocuments.ucsf.edu/docs/ztwl0000

ATTACHMENT IX
Exhibit 340

340-566. Hellberg, D., Nilsson, S., Haley, N., Hoffman, D., and Wynder, E. 1988. Smoking and cervical intraepithelial neoplasia: Nicotine and cotinine in semum and cervical mucus in smokers and nonsmokers. Am. J. Obstet. Gynecol. 158:910-913.

340-567. Hellstern, K., Curtis, C., Upshall, D., Powell, G. 1990. The effects of drugs, other foreign compounds, and cigarette smoke on the synthesis of protein by lung slices. Environ. Health Perspect. 85:145-150.

340-568. Helsing, Knud J., G. Comstock, F. Speizer, B. Ferris, et al. Comparison of Three Standardized Questionnaires on Respiratory Symptoms. Amer. Review Respir. Disease, Vol. 120 (1979).

340-569. *Helsing, K., Sandler, D., Comstock, G., Chee, E. 1988. Heart disease mortality in nonsmokers living with smokers. Am. J. Epidemiology. 127(5):915-22. 8-134

340-570. Henderson, F., Reid, H., Morris, R., Wang, O., Hu, P. Helms, R., Forehand, L., Rumford, J., Lewtas, J., Haley, N., et al. 1989. Home air nicotine levels and urinary cotinine excretion in preschool children. Am. Rev. Respir. Dis. 140(1):197-201.

340-571. Hensley, T. 1989. Airplane smoking ban to expire: Extension debated [news]. J. Natl. Cancer Inst. 81(16):1213-1214.

340-572. Herning, R., Jones, R., Benowitz, N. & Mines, A. How a cigarette is smoked determines blood nicotine levels. Clinical Pharmacol. Ther. Jan. 1993.

340-573. Herrera, Angustias, C. Barrueco, C. Caballo, and E. de la Pena. Effect of Permethrin on the Induction of Sister Chromatid Exchanges and Micronuclei incultured Human Lymphocytes. Enviro. Molecular Mutag. 20:218-222 (1992).

340-574. HETA 90-226-2281. January 1993, Alaska Airlines, Seattle, Washington. NIOSH Report.

340-575. HETA 91-120-2286. February 1993. U.S. Dept. of Veterans Affairs, Austin Finance Center, Austin, Texas. NIOSH Report. Health Haz Evalu Report.

2046395652

Source: https://www.industrydocuments.ucsf.edu/docs/ztwl0000

ATTACHMENT IX
Exhibit 340

340-576. HETA 91-402-2324. June 1993. Indiana Bell Telephone Company, Inc. Bloomington, Indiana. NIOSH Report. Health Haz Evalu Report.

340-577. HETA 92-024-2285. February 1993. Legi-Slate, Washington, D.C. NIOSH Report. Health Haz Evalu Report.

340-578. HETA 92-106-2313. May 1993. Loral Command and Control. Colorado Springs, CO. NIOSH Report. Health Haz Evalu Tech Asst Report.

340-579. HETA 92-166-2318. May 1993. Pennsylvania Dept. of Revenue. Harrisburg, PA. NIOSH Report. Health Haz Evalu.

340-580. HETA 92-176-2328. June 1993. Coe Manufacturing, Inc., Portland, Oregon. NIOSH Report. Health Haz Evalu. II-215

340-581. HETA 92-228-2280. January 1993. Alaska Department of Environmental Conservation, Juneau, Alaska. NIOSH Report. Health Haz Evalu. II-242

340-582. HETA 92-269-2330. July 1993. Celebrezze Federal Building, Clevelan, Ohio. NIOSH Report. Health Haz Evalu.

340-583. HETA 92-339-2323. June 1993. Hennepin County Health Services Building. Minneapolis, Minn. NIOSH Report. Health Haz Evalu. II-219

340-584. HETA 92-369-2322. June 1993. Hubert H. Humphrey Building, Washington, D.C. NIOSH Report. Health Haz Evalu. II-208

340-585. HETA 93-011-2309. April 1993. Tri-County North School, Lewisburg, Ohio. NIOSH Report. Health Haz Evalu. II-35

340-586. HETA 93-282-2303. April 1993. Manatee Memorial Hospital, Bradenton, Florida. NIOSH Report. Haz Evalu Tech Asst. II-179

340-587. HETA 92-380-2302. April 1993. Dupage County Judicial Office Facility, Wheaton, ILL. NIOSH Report. Haz Evalu Tech Asst. II-43

340-588. Hietanen, E., Bartsch, H., Bereziat, J., Castegnaro, M. et al. Characterization of the cytochrome P450 isozyme that metabolizes ochratoxin A, using metabolic inducers, inhibitors and antibodies. IARC Sci Publ 1991; (115):297-304.

2046395653

Source: https://www.industrydocuments.ucsf.edu/docs/ztwl0000